

注：本画册所列产品可能会因改良而有所变动，以随机说明书为标准，恕不另行通知。
由于印刷原因，与产品实际颜色可能稍有差异，敬请谅解。

NOTE: Some products information on catalogue may be changed because of improving products, but must be same as instruction which is attached with products. Please forgive that we will not make additional advice in advance.
Because of printing question, maybe there is little difference compared with the real color of products. Sincerely sorry for the inconvenience.

品牌授权经销商：1598987139

WEIJIE®

www.cnweijie.com

WEIJIE®

浙江伟杰服装设备有限公司
ZHEJIANG WEIJIE DRESS FACILITY CO.,LTD.

地址：浙江省台州市椒江区下陈机场南路79号
邮编：318010
电话：86-576-88179636 88179958 88176899
传真：86-576-88179635 88178898
E-mail：sales@cnweijie.com weijie@cnweijie.com
www.cnweijie.com

ADD：79#airport South Road Xiachen Jiaojiang District
Taizhou City Zhejiang Province China.
P.C.：318010
TEL：86-576-88179636 88179958 88176899
FAX：86-576-88179635 88178898
E-mail：sales@cnweijie.com weijie@cnweijie.com
www.cnweijie.com



伟杰，整烫设备集大成者

WEIJIE, THE MASTER OF IRONING EQUIPMENT

CE RoHS

浙江伟杰服装设备有限公司
ZHEJIANG WEIJIE DRESS FACILITY CO.,LTD.

COMPANY PROFILES

企业简介



浙江伟杰服装设备有限公司创建于2001年，座落于缝纫机之都——浙江台州。我们拥有一套先进的产品研发、数控加工、质检、市场营销及售后服务为体系的综合性现代化工厂，成为行业内重要的整烫设备生产企业和研发基地。本公司专业生产熨斗、粘合机、压画机（烫画机）、开条机、熨斗鞋、胸罩定型机、剪线机等100多种系列产品。

我们以“质量第一，用户至上”的经营理念。于2004年通过ISO9000质量管理体系认证、CE认证和ROHS认证，产品质量均符合检测标准，达到国内领先水平。先后荣获“浙江省科技型中小企业”、“台州市市级技术中心”、“台州市高新技术企业研发中心”、“台州市级高新技术企业”、“台州市著名商标”等荣誉称号。

我们拥有雄厚的技术力量和先进的生产加工设备，年产整烫设备20多万台，产品已遍布国内20多个省市，远销东南亚、欧美等60多个国家和地区。

我们将进一步加大从基础设施、技术改造、品牌创新、品质保证、人才引进、企业文化建设、信息化建设等方面的投入，以朝着经营国际化、管理现代化为目标。

通过我们在行业内二十多年来的积极影响，我们积累了一定地口碑，在行业内具有较高的影响力和话语权，产品质量深受客户好评。我们将会不断地从客户和市场学习积累经验。感谢可合作伙伴，愿我们彼此共创更美好的未来！



- 公司在整烫领域已深耕20余年
Ironing field has been deep ploughed for more than 20 years
- 生产品类达100多款
Production of more than 100 categories
- 年产量20多万台
The annual output is more than 200,000 units
- 畅销全球50多个国家和地区
It sells well in more than 50 countries and regions
- 荣获行业内奖项及专利多达180余项
It has won more than 180 awards and patents in the industry

Zhejiang Weijie Clothing Equipment Co., LTD Founded in 2001, located in the sewing machine capital - Zhejiang Taizhou. The company's goal is demanding oneself to be one of leading companies in the industry. In order to achieve this goal, we have implemented an integrated system of product R&D Department, Numerical Control Machining, Quality Inspection, Marketing and After-sales Service. We specialize in producing more than 100 series of products such as iron, fusing machine, heat transfer machine, cloth cutting machine, iron shoes, bra shaping machine, thread trimmer and so on.

We adhere to the principles of "Quality first, Customer based" as our business philosophy. In 2004, we have passed through the ISO9000, a certification of international origination for standardization to monitor quality, CE certification and ROHS certification, the quality of products exceed the testing standards, reaching leading level in China. We have won the honorary titles of "Small and medium-sized Technology-based Enterprise of Zhejiang Province", "Taizhou Municipal Technology Center", "Taizhou High-tech Enterprise RESEARCH and development Center",

"Taizhou Municipal High-tech Enterprise", "Taizhou Famous Trademark" and so on

The company offers technical support timely to our customers. In order to do that, we have imported advanced production processing equipment to make sure quality meeting our standard. Our products have been exported to more than 60 countries and regions such as southeast Asia, Europe and the United States, with a capacity of more than 200,000 sets of ironing equipment throughout countries.

We will further invest in company infrastructure, technical advancement, brand innovation, quality assurance, talent introduction, enterprise culture construction, intelligent factory construction and other aspects, with the goal of internationalization of operation and modernization of management.

Through our positive influence in the industry for more than 20 years, we have accumulated a certain reputation, a high influence and voice in the industry, and our product quality is highly praised by customers. We are continuing learning experience from customers and market. May we all made each other a brighter future!

TECHNOLOGY R&D IS THE FIRST

科技强国, 研发先行

伟杰公司以强大的研发团队为支撑, 可以根据客户提供的图纸或样品开发和量产;
产品定位高端, 有专业的实验室和行业内先进的检测设备, 保证产品质量,
通过智能高新技术改造提升传统产业。

WEIJIE company is supported by a strong R & D team, which can develop and mass
produce according to drawings or samples provided by customers.
High-end product positioning, professional laboratories and advanced testing equipment
in the industry to ensure product quality.
And upgrade traditional industries through intelligent high-tech transformation.

加快新品研发, 引领行业潮流

Speed up new product development
Lead the industry trend



我们的现场作业人员90%以上具有专业技术教育的背景, 具有多年设备加工和组装的经验。正是因为有了这支团结敬业, 开拓进取, 技术精良, 经验丰富的队伍, 公司的技术和产品品质才得以不断的更新和提升。

采用CAD/CAM技术对产品进行优化设计, 缩短开发周期, 确保产品设计的高质量; 并与业界建立了广泛的技术交流与合作, 使公司的研发能力始终处于国际水平。

专业的团队研发技术国内罕有, 技术团队的每个人都有专门特长, 包括软件设计, 硬件设计, 以及机械结构设计等。公司尊重知识和人才, 不断为员工创造新的学习和培训的机会, 并提供相应的软硬件开发设施和装备。

More than 90% of our field operation personnel have professional technical education background, with many years of experience in equipment processing and assembly. It is because of this united and dedicated, pioneering, sophisticated technology, experienced team, the company's technology and product quality can be constantly updated and improved.

Using CAD/CAM technology to optimize the product design, shorten the development cycle, to ensure the high quality of product design; And established a wide range of technical exchanges and cooperation with the industry, so that the company's R & D capacity has always been in the international level.

Professional team research and development technology is rare in China, each member of the technical team has special expertise, including software design, hardware design, and mechanical structure design. The company respects knowledge and talent, constantly creates new learning and training opportunities for employees, and provides corresponding hardware and software development facilities and equipment.

TECHNOLOGY CREATE UPGRADE


德国进口设备, 打造高端品质



德国最选进的TRUMPF(通快)高效数控激光切割设备
Germany's most selected TRUMPF(TRUMPF) efficient CNC laser cutting equipment

本公司引进德国先进的TRUMPF(通快)高效数控激光切割设备,此设备不仅采用全飞行光路,稳定龙门结构,而且还采用高速稳定西门子系统,完全恒温控制的控制柜系统与激光光源,机械运动机构和过程控制之间达到了最佳的协调一致,提高了设备的工作效率和切割质量,能自然生产出高质量的产品,专业生产450、600、900等粘压机,产品部位切割精度高,切缝窄,切割面光滑,而且重复性好,不损伤工件,变形小,外观平整、美观。

Technology Reserve: We are proudly to introduce a Germany technology and equipment that we have imported to enrich our production line—TRUMPF, an efficient and accurate CNC/CAM Laser Cutting Machine. This equipment adopts not only full flight optical path, stable gantry structure, but also equipped with high speed reliable Siemens control system. The TruFlow laser, will create extremely smooth cutting edges which generally do not require post-processing. The TruLaser are the perfect technology and equipment for the production of our Fusing Machine series and other machines that requires 2D cutting parts.



1. 生产出高质量的产品
Produce high quality products
2. 产品切割精度高
High precision
3. 切缝窄, 切割面光滑
Narrow kerf, smooth facet
4. 重复性好
Repeatability
5. 不损伤工件, 变形小
No damage the work-piece, little distortion
6. 外观平整, 美观
Good look

GLOBAL MARKETING QUALITY SHARING 营销全球, 品质共享

为客户提供优质精品是伟杰不变的承诺, 伟杰与广大客户诚信合作, 共赢发展。伟杰团队群策群力, 产品远销亚洲、欧洲、南美洲、北美洲、非洲、中东、东南亚等50余国。并根据市场的需求变化不断调整自身定位, 对资源和服务模式进行筛选、配置、融合, 持续创新, 为服装企业提供更加全面、完善的综合化服务, 以专业品质与合作伙伴共铸成功!

To provide customers with high quality boutique WEIJIE is the same commitment, WEIJIE cooperation with our customers integrity, win-win development. Shun Fat team team work, the products are exported to Europe, South America, Africa, the Middle East, Southeast Asian countries. And according to the needs of the market changes continue to adjust their own positioning, resources and service model for screening, configuration, integration, continuous innovation, for the garment enterprises to provide more comprehensive and comprehensive integrated services to professional quality and partners Gongzhu success!



PRODUCT DIRECTORY

产品目录

11 粘合机系列
Fusing Machine Series

17 直线式衬布粘合机系列
Straight Linear Fusing Press Series

21 全蒸汽智能一体机系列
All Steam Intrllective Smart Machine Series

24 电加热节能一体机
Electric heating energy saving all-in-one machine

25 全自动电脑切带机系列
Automatic Belt Loop Cutter Series

27 全自动切布条机系列
Automatic Cutting And Hem Machine Series

29 剪线机系列
Thread Trimmer Series

33 吊瓶熨斗系列
Gravity Feed Iron Series

39 电加热熨斗系列
Electric Steam Iron Series

41 全蒸汽熨斗系列
All Steam Iron Series

45 小型蒸汽锅炉熨斗系列
Small Steam Boiler Iron Series

50 去污台
Spotting Cleaning Machine

51 折叠式吸风烫台
Surbo Vacuum And Heated Folding Ironing Table

52 半自动刷钻机
Semi-automatic brush drill

53 全自动钉珠机
Automatic Pearls Fix Machine

54 分线器
Thread Distributon

55 气动烫画机
Pneumatic Heat Transfer Machine

57 手动烫画机
Manual Heat Press Machine

59 铁氟龙熨斗靴系列
Aluminum Iron Shoe Series

67 配件系列
Accessories Series





WJ-450MS 粘压机 Fusing Press

1. 上、下皮带采用凸轮直接式纠偏装置,使皮带保持安定的位置。
2. 一侧采用开口设计,可部分进行粘合。
3. 创新的机体设计减少热量对电气部件的影响,提高了电气部件的耐久性及其寿命。
4. MS 配置配有回转剥离装置。

1. Upper belt warping prevention system adopts direct limit switch type like lower belt warping prevention system.
2. Adopted rubber driving roller for non-slip driving.
3. The innovation body design reduction the heat to the electrical part's influence, enhanced the electrical part's durability and the life.
4. MS Equippedwithrotary strip-off device

型号	Model	WJ-200MS	WJ-450MS	WJ-450GS	WJ-500MS	WJ-600MS	WJ-600GS
使用电源	Power Supply	1P-220V	1P-220V	1P-220V	1P-220V	1P-220V	1P-220V
固定电功率 Pated Output	电热器 Heater	2KW	4KW	3.6KW	4KW	4KW	7.5KW
	马达 Motor	33W	33W	33W	33W	33W	33W
最高温度	Max Temperatures	195°C	195°C	195°C	195°C	195°C	195°C
最大压力	Max Pressure	1.5kg/cm	1.5kg/cm	1.5kg/cm	1.5kg/cm	1.5kg/cm	1.5kg/cm
皮带速度	Max Belt Speed	8.7m/min	8.7m/min	8.7m/min	8.7m/min	8.7m/min	8.7m/min
加压时间	Pressing Time	5-20sec	5-20sec	5-20sec	5-20sec	5-20sec	5-20sec
粘合宽度	Fusing Width	200mm	450mm	450mm	500mm	600mm	600mm
机器尺寸 Dimintions	L	1450mm	1660mm	1660mm	1660mm	1660mm	1660mm
	W	630mm	880mm	930mm	930mm	1030mm	1030mm
	H	490mm	490mm	490mm	490mm	490mm	490mm
重量	Weight		152kg	152kg		160kg	160kg



WJ-200MS
粘压机 Fusing Press



- 配有回转剥离装置
Equippedwithrotary strip-off device



WJ-450MS
粘压机 Fusing Press



- 配有回转剥离装置
Equippedwithrotary strip-off device



WJ-450GS
粘压机 Fusing Press



WJ-600MS
粘压机 Fusing Press



● 配有回转剥离装置
Equipped with rotary strip-off device



WJ-500MS
粘压机 Fusing Press



● 配有回转剥离装置
Equipped with rotary strip-off device



WJ-600GS
粘压机 Fusing Press





WJ-600LF / 600LFS / 直线式衬布粘合机 Straight Linear Fusing Press

1. 采用大直径压力辊, 更能保证均衡压力。
2. 采用新型加热板与以往相比提高了热效率, 减少了热损失。
3. 温控部分分为两块, 分别前后部, 同时温度控制也可以切换为上下控制。
4. 采用无缝皮带, 更具有耐久性。
5. 采用气动加压方式, 可简单准确地调整压力。
6. 装有防皱滚筒, 可处理各种布料。
7. 可选配置: 冷却风扇装置。
8. LW的标准配置配有回转剥离装置。

1. Big diameter pressure roller is equipped, increase pressure balance, fusing quality, durability.
2. New upper heater increase heating efficiency, decrease heat loss.
3. By select heater control switch, the temperature of the upper and lower, front and rear heaters can be easily controlled.
4. The seamless belt has been adopted to increase the durability of the belt.
5. The air pressure system adopted to make simple adjustment and correct pressure.
6. The puckering prevention roller is equipped. The position of the roller can be adjusted easily to apply for any material.
7. Optional configurations: cooling fan device.
8. LW are equipped with rotary strip off device as standard.

型号	Model	WJ-600LF/LFS	WJ-1000LW	WJ-1000LR-I
使用电源	Power Supply	3phase/3相	3phase/3相	3phase/3相
固定电功率 Rated Output	电热器 Heater	8.4KW	21.6KW	16.2KW
	马达 Motor	250W/275W	705W	675W
最高温度	Max Temperatures	195°C	195°C	195°C
最大压力	Max Pressure	62N/cm(6.04kgf/cm)	49N/cm(5.0kgf/cm)	49N/cm(5.0kgf/cm)
皮带速度	Max Belt Speed	10.2m/min	12.7m/min	14m/min
加压时间	Pressing Time	6-28sec	6.5-31sec	7-90sec
粘合宽度	Fusing Width	600mm	1000mm	1000mm
机器尺寸 Dimensions	L	3100mm	4327mm	3650mm
	W	1190mm	1606mm	1450mm
	H	1200mm	1255mm	1250mm
重量	Weight	380kg	1500kg	900kg



WJ-900LW / 直线式衬布粘合机 Straight Linear Fusing Press

1. 采用加粗压力胶辊, 获得均一、平衡的压力, 提高了粘合性能及耐久性。
2. 采用新型加热板与以往相比提高了热效率, 减少了热损失。
3. 温控部分分为两块, 分别前后部, 同时温度控制也可以切换为上下控制。
4. 采用无缝皮带, 更具有耐久性。
5. 采用气动加压方式, 可简单准确地调整压力。
6. 装有防皱滚筒, 可处理各种布料。
7. 可选配置: 冷却风扇装置。
8. LW的标准配置配有回转剥离装置。

1. Big diameter pressure roller is equipped, increase pressure balance, fusing quality, durability.
2. New upper heater increase heating efficiency, decrease heat loss.
3. By select heater control switch, the temperature of the upper and lower, front and rear heaters can be easily controlled.
4. The seamless belt has been adopted to increase the durability of the belt.
5. The air pressure system adopted to make simple adjustment and correct pressure.
6. The puckering prevention roller is equipped. The position of the roller can be adjusted easily to apply for any material.
7. Optional configurations: cooling fan device.
8. LW are equipped with rotary strip off device as standard.



型号	Model	WJ-900LW
使用电源	Power Supply	3phase/3相
加热板固定电功率	Heater Rated Output/Heater	24KW
马达功率	Heater Rated Output/motor	295W
最高温度	Max Temperatures	200°C
最大压力	Max Pressure	41N/cm(4.02kgf/cm)
皮带速度	Max Belt Speed	10.2m/min
加压时间	Pressing Time	6-30sec
粘合宽度	Fusing Width	900mm
机器尺寸	Dimensions	3300x1490x1200mm
重量	Weight	1300kg

*要空压机 Required Air Compressor



WJ-900LFS / 直线式衬布粘合机 Straight Linear Fusing Press

1. 采用加粗压力胶辊, 获得均匀、平衡的压力, 提高了粘合性能及耐久性。
2. 采用新型加热板与以往相比提高了热效率, 减少了热损失。
3. 温控部分分为两块, 分别前后部, 同时温度控制也可以切换为上下控制。
4. 采用无缝皮带, 更具有耐久性。
5. 采用气动加压方式, 可简单准确地调整压力。
6. 装有防皱滚筒, 可处理各种布料。
7. 可选配置: 冷却风扇装置。
8. LW的标准配置配有回转剥离装置。

1. Big diameter pressure roller is equipped, increase pressure balance, fusing quality, durability.
2. New upper heater increase heating efficiency, decrease heat loss.
3. By select heater control switch, the temperature of the upper and lower, front and rear heaters can be easily controlled.
4. The seamless belt has been adopted to increase the durability of the belt.
5. The air pressure system adopted to make simple adjustment and correct pressure.
6. The puckering prevention roller is equipped. The position of the roller can be adjusted easily to apply for any material.
7. Optional configurations: cooling fan device.
8. LWare equipped with rotary strip off device as standard.

型号	Model	WJ-900LFS
使用电源	Power Supply	3phase/3相
加热板固定电功率	Heater Rated Output/hea Ter	12KW
马达功率	Heater Rated Output/motor	270/295W
最高温度	Max Temperatures	195°C
最大压力	Max Pressure	41N/cm(4.02kgf/cm)
皮带速度	Max Belt Speed	10.2m/min
加压时间	Pressing Time	6-28sec
粘合宽度	Fusing Width	900mm
机器尺寸	Dimensions	3300x1490x1200mm
重量	Weight	895kg

*要空压机 Required Air Compressor



WJ-1000LW 直线式衬布粘合机 Straight Linear Fusing Press



1. 标准配置采用无缝铁氟龙皮带, 防止接头压印, 延长皮带寿命;
 2. 采用加热板升降装置, 可配合所有素材, 加热板最大可抬高5mm;
 3. 采用收卷式清洁棒, 标准装置出口处配有风扇冷却装置。
1. The seamless belt is adopted as standard and prolongs the belt used life.
2. The heating plates lifting device can adjusted maximum 5mm height correspond any materials.
3. Adopt winding-type cleaning rod, equipped with cooling fan device as standard at the exit.



WJ-1000LR-I 直线式衬布粘合机 Straight Linear Fusing Press



1. 标准配置采用无缝铁氟龙皮带, 防止接头压印, 延长皮带寿命;
 2. 采用加热板升降装置, 可配合所有素材, 加热板最大可抬高5mm;
 3. 采用收卷式清洁棒, 标准装置出口处配有风扇冷却装置。
1. The seamless belt is adopted as standard and prolongs the belt used life.
2. The heating plates lifting device can adjusted maximum 5mm height correspond any materials.
3. Adopt winding-type cleaning rod, equipped with cooling fan device as standard at the exit.

WEIJIE®

ALL STEAM INTRLLECTIVE SMART MACHINE SERIES 全蒸汽智能一体机系列

新一代全蒸汽智能一体机,具有多项国家专利,
较传统同类产品节能50%以上,适用于各种熨烫场合,操作便捷。

A new generation of all-steam intelligent all-in-one machine, with a
number of national patents,
More than 50% energy saving compared with the traditional similar
products, suitable for all kinds of ironing occasions, easy to operate.

WJ-F29

新一代全蒸汽智能一体机
NEW generation all steam intrllective smart machine

- 五分钟开机启动快,蒸汽干燥渗透快
- 汽压可调更方便,免管道铺设更便捷
- 自动加水更省心,自动排污更无忧
- 多重安全防护更放心

- Fast startup after 5 minutes, fast steam drying and penetration
- Adjustable steam pressure is more convenient and convenient for free pipeline laying
- Automatic water filling is more worry free, automatic sewage is more worry free
- More secure with multiple security protection



产品视频展示
Product video display



WJ-F29 / 新一代全蒸汽智能一体机 NEW generation all steam intrllective smart machine

WJ-F29新一代全蒸汽智能一体机,是具有多项国家专利的
新型整烫产品,较传统蒸汽发生器节能50%以上,本产品具
有智能加热、自动排污、自动除垢、语音提示等功能,额定蒸
发量12kg/h,适用于各种熨烫场合,操作便捷。

WJ-F29 new generation of all-steam intelligent all-in-one machine is a new type of
ironing product with a number of national patents. It saves more than 50% of
energy compared with traditional steam generators. This product has functions
such as intelligent heating, automatic sewage discharge, automatic descaling, and
voice prompts. , Rated evaporation capacity of 12kg/h, suitable for various ironing
occasions, convenient operation.

功能概述

Functions overview

- 1:进口蒸汽发生器核心单元,加热速度快,能效高,开机只
需五分钟左右即可产出高压蒸汽。
- 2、熨斗配置可选,可根据需要任意选配全蒸汽熨斗及电加
热熨斗,大烫,中小烫均可支持。
- 3:全新一代智能控制系统,开机自动加水,自动水位检测,
智能语音提示,快速排污。
- 5:多重防护更安全,设备具有过热保护、压力控制、泄压保
护等多重防护措施。

- 1: The core unit of imported steam generator has fast heating speed and high
energy efficiency. It only takes about five minutes to produce high-pressure steam.
2. The iron configuration is optional, and all steam irons and electric heating irons
can be arbitrarily selected according to needs. Both large and small irons can be
supported.
- 3: A whole new generation of intelligent control system, automatic water filling,
automatic water level detection, intelligent voice prompts, and rapid sewage
discharge.
- 5: Multiple protections are safer. The equipment has multiple protection measures
such as overheating protection, pressure control, and pressure relief protection.

超大功率,大水箱容量,大烫专用

Super power, large water tank capacity, special for large scalding

9KW超大功率,7升大水箱,专为大烫工序打造,爆炸式蒸汽效果可为各种面料成衣快速除皱定型。

9KW super power, 7 liters big water tank, specially built for the hot process,
explosive steam effect It can quickly remove wrinkles and shape various fabrics.

大型多级漩涡泵,动力更强劲

Large multi-stage vortex pump, more powerful power

本机标配大型多级漩涡泵,结构紧凑、体积小、重量轻,动力强、出水速度更快,运行噪音低,且无污染。

This machine is equipped with a large multi-stage vortex pump as standard, with compact structure, small volume, Light weight,
strong power, faster water output, Low operating noise and no pollution.



型号	Model	WJ-F29
电压	Voltage	220/380V
功率	Power	6-9KW
额定蒸发量	Rated evaporation	12kg/h
水容积	Water volume	7L
烫斗类型	Iron type	全蒸汽
烫斗底板	Iron soleplate	304不锈钢
包装尺寸	Package Size	665×560×940mm



WJ-F23C / 新一代全蒸汽智能一体机

NEW generation all steam intrlective smart machine

WJ-F23C新一代全蒸汽智能一体机,是具有多项国家专利的新型整烫产品,较传统蒸汽发生器节能50%以上,本产品具有智能加热、自动排污、自动除垢、语音提示等功能,额定蒸发量8kg/h,适用于各种熨烫场合,操作便捷。

WJ-F23C new generation all-steam intelligent all-in-one machine is a new ironing product with a number of national patents. Compared with traditional steam generators, it can save energy by more than 50%. This product has intelligent heating, automatic sewage discharge, automatic descaling, voice prompts, etc. , The rated evaporation capacity is 9kg/h, suitable for various ironing occasions, and the operation is convenient.

型号	Model	WJ-F23C
电压	Voltage	220/380V
功率	Power	4/6KW
额定蒸发量	Rated evaporation	8kg/h
水容积	Water volume	4L
烫斗类型	Iron type	全蒸汽
烫斗底板	Iron soleplate	304不锈钢
包装尺寸	Package Size	550×510×850mm



WJ-F23T / 新一代全蒸汽智能一体机

NEW generation all steam intrlective smart machine

WJ-F23T新一代全蒸汽智能一体机,是具有多项国家专利的新型整烫产品,较传统蒸汽发生器节能50%以上,本产品具有智能加热、自动排污、自动除垢、语音提示等功能,额定蒸发量8kg/h,适用于各种熨烫场合,操作便捷。

WJ-F23T new generation all-steam intelligent all-in-one machine is a new ironing product with a number of national patents. Compared with traditional steam generators, it can save energy by more than 50%. This product has intelligent heating, automatic sewage discharge, automatic descaling, voice prompts, etc. , The rated evaporation capacity is 9kg/h, suitable for various ironing occasions, and the operation is convenient.

型号	Model	WJ-F23T
电压	Voltage	220/380V
功率	Power	4/6KW
额定蒸发量	Rated evaporation	8kg/h
水容积	Water volume	4L
烫斗类型	Iron type	全蒸汽
烫斗底板	Iron soleplate	304不锈钢
包装尺寸	Package Size	550×510×850mm



WJ-F23D / 新一代电加热节能一体机

New generation of electric heating energy saving all-in-one machine

WJ-F23D新一代电加热节能一体机,是具有多项国家专利的新型整烫产品,较传统蒸汽发生器节能50%以上,本产品具有智能加热、自动排污、自动除垢等功能,额定蒸发量8kg/h,适用于各种熨烫场合,操作便捷。

WJ-F23D New generation of electric heating energy saving all-in-one machine is a new ironing product with a number of national patents. Compared with traditional steam generators, it can save energy by more than 50%. This product has intelligent heating, automatic sewage discharge, automatic descaling etc. , The rated evaporation capacity is 9kg/h, suitable for various ironing occasions, and the operation is convenient.



型号	Model	WJ-F23D
电压	Voltage	220/380V
发热器功率	Power	4/6KW
烫斗功率	Iron power	1.5Kw
额定蒸发量	Rated evaporation	8kg/h
水容积	Water volume	4L
烫斗类型	Iron type	全蒸汽
烫斗底板	Iron soleplate	304不锈钢
包装尺寸	Package Size	550×510×850mm

WEIJIE®

AUTOMATIC BELT LOOP CUTTER SERIES

全自动电脑切带机系列

本机采用微电脑数控装置, 设定切带长度, 切刀附带加热装置, 可将织带切口加热固结, 不产生毛边, 省时、省力、损耗少。

This machine employs microcomputer digital controller to set belt cutting length. the cutting knife is equipped with heaters, and can heat and solidify the cut edge of the woven belt. no burrs will happen. It saves time and labor, waste rate is reduced.



产品视频展示
Product video display

型号	Model	WJ100-A	WJ100-B	WJ100-C
电压	Voltage	110/220V (可选)	110/220V (可选)	110/220V (可选)
功率	Power	0.28KW	0.28KW	0.28KW
刀具	Knives	冷刀/热刀两用	冷刀/热刀两用	冷刀/热刀两用
切断宽度	Cut off width	100mm	100mm	100mm
切断长度	Cut length	15-99999mm	15-99999mm	15-99999mm
切断速度	Cutting speed	100-120/分钟	100-120/分钟	100-120/分钟
包装尺寸	Package Size	550×415×410mm	550×415×410mm	550×415×410mm



全自动电脑切带机系列

Automatic Belt Loop Cutter Series




WJ100-A / 全自动电脑切带机(冷热两用型)
Automatic Belt Loop Cutter



适用于彩色带、尼龙带、编织带等之定尺寸裁切使用。
Suitable for color tape, nylon tape, woven tape, etc.



WJ100-B / 全自动电脑切带机
Automatic Belt Loop Cutter Series



适用于商标带之定尺寸裁切使用。
Suitable for trademark band size cutting.



WJ100-C / 全自动电脑切带机
Automatic Belt Loop Cutter Series



适用于松紧带之定尺寸裁切使用。
Suitable for fixed - size cutting of elastic band.



WJ-911A / 全自动切布条机
Automatic Cutting And Hem Machine



WJ-933 / 全自动切布条机
Automatic Cutting And Hem Machine



WJ-966 / 全自动电脑切带机
Automatic Belt Loop Cutter Series



WJ-911A / 全自动切布条机 Automatic Cutting And Hem Machine

本产品广泛应用于各种圆筒针织布、棉布、涤纶布裁剪成滚条专用设备,该产品自动化程度高,能有效提高工作效率和切布的精确度,切布速度可任意调节并有自动停机装置。可切45度面料,切布的宽度可以从15-90mm,是广大生产服装厂家必要设备。

This product is extensive to apply kind of cylindric knit fabric cloth,cotton and polythylene fabric cloth cuts roll the appropriation equipments of that product automation degree that slice the cloth.slicing the cloth speed can regulate arbitrarily and establishing the auto shuts down the device.can shear fabric be 45degrees of angle, can shear the cloth's width from 15mm to 90mm.it is the necessary equipment for a large garment factory.

型号	Model	WJ-911A	WJ-933	WJ-966
种类	Species	切条机 Strip cutting machine	切条机 Strip cutting machine	切条机 Strip cutting machine
切布速度	Cutting speed of cloth	0-42米/分	0-42米/分	0-42米/分
切布周长	Perimeter cut cloth	长至72公分	长至72公分	长至72公分
机器尺寸	Dimensions (L×W×H)	150×40×122cm	158×40×122cm	158×40×122cm
毛重	Gross weight	50.6kg	49.7kg	53kg



WJ-100EZ / 剪线机 Thread Trimmer

这种类型的机器可用于任何线裁剪项目, 如内衣, T恤, 运动服, 婴儿服, 衬衫, 西服布, 裤子, 裤子, 牛仔裤, 裙子, 短裤, 帽子, 等等...

1. 使用强力吸力电机。
2. 使用抽吸功率可调装置, 根据修剪物品调节吸力。
3. 裁剪头的方向 (水平或垂直) 可以调节, 以方便操作。

This type of machine can be used on any thread trimming items, such as underwear, T-shirt, Sportswear, babywear, shirt, western cloth, trousers, pants, jeans, skirt, shorts, hat, etc.

1. Use powerful suction motor.
2. Use suction power adjustable device to adjust the suction power according to the trimmed items.
3. The direction (vertical or horizon) of clipper head can be adjustable for the operator's convenience.



型号	Model	WJ-100EZ
刀头	Cutting head	单刀头 Single pole head
驱动模式	Drive mode	电动 (无刷电机) Electric (brushless motor)
电压	Voltage	220V
功率	Power	370W/750W
毛重(含台板)	Gross weight including countertops	36.6kg

WJ-202EZ / 剪线机 Thread Trimmer

这种类型的机器可用于任何线裁剪项目, 如内衣, T恤, 运动服, 婴儿服, 衬衫, 西服布, 裤子, 裤子, 牛仔裤, 裙子, 短裤, 帽子, 等等...

1. 使用强力吸力电机。
2. 使用抽吸功率可调装置, 根据修剪物品调节吸力。
3. 裁剪头的方向 (水平或垂直) 可以调节, 以方便操作。

This type of machine can be used on any thread trimming items, such as underwear, T-shirt, Sportswear, babywear, shirt, western cloth, trousers, pants, jeans, skirt, shorts, hat, etc.

1. Use powerful suction motor.
2. Use suction power adjustable device to adjust the suction power according to the trimmed items.
3. The direction (vertical or horizon) of clipper head can be adjustable for the operator's convenience.



型号	Model	WJ-202EZ
刀头	Cutting head	双刀头 Double head
驱动模式	Drive mode	电动 (无刷电机) Electric (brushless motor)
电压	Voltage	220V
功率	Power	750W
毛重(含台板)	Gross weight including countertops	60kg



WJ-202MS / 剪线机 Thread Trimmer

这种类型的机器可用于任何线裁剪项目, 如内衣, T恤, 运动服, 婴儿服, 衬衫, 西服布, 裤子, 裤子, 牛仔裤, 裙子, 短裤, 帽子, 等等...

1. 使用强力吸力电机。
2. 使用抽吸功率可调装置, 根据修剪物品调节吸力。
3. 裁剪头的方向(水平或垂直)可以调节, 以方便操作。

This type of machine can be used on any thread trimming items, such as underwear, T-shirt, Sportswear, babywear, shirt, western cloth, trousers, pants, jeans, skirt, shorts, hat, etc.

1. Use powerful suction motor.
2. Use suction power adjustable device to adjust the suction power according to the trimmed items.
3. The direction (vertical or horizon) of clipper head can be adjustable for the operator's convenience.



型号	Model	WJ-202MS
刀头	Cutting head	双刀头 Double head
驱动模式	Drive mode	电动(无刷电机) Electric (brushless motor)
电压	Voltage	220V
功率	Power	750W

WJ-100V / 剪线机 Thread Trimmer



1. 桌面剪线机可放置在任何桌子上。移动方便, 操作简单。
2. 马达动力强, 低噪音, 配有废料收集器。
3. 线闸经特殊设计, 操作简单安全, 不伤手, 不浪费布料。
4. 本机适用于任何面料的裁剪, 如内衣, 衬衫, 西裤, 牛仔裤, 鞋, 帽子, 刺绣, 等等。尤其是那些以线头多的衣料。

1. Table-top thread trimmer can be put on any table. Very easy to move and operate.
2. Powerful and quiet suction motor with a waste collector.
3. Special designed clipper blade works well and safely. Do not hurt your hand and the fabric.
4. This type of machine can be used on any thread trimming item, such as underwear, shirt, western trousers, jeans, shoes, hat, embroidery, etc. Especially for clothes with many ends of thread.

型号	Model	WJ-100V
刀头	Cutting head	单刀头 Single pole head
驱动模式	Drive mode	电动(无刷电机) Electric (brushless motor)
电压	Voltage	220V
功率	Power	350W
毛重	Gross weight	34kg

WJ-520V / 剪线机 Thread Trimmer



1. 桌面剪线机可放置在任何桌子上。移动方便, 操作简单。
2. 马达动力强, 低噪音, 配有废料收集器。
3. 线闸经特殊设计, 操作简单安全, 不伤手, 不浪费布料。
4. 本机适用于任何面料的裁剪, 如内衣, 衬衫, 西裤, 牛仔裤, 鞋, 帽子, 刺绣, 等等。尤其是那些以线头多的衣料。

1. Table-top thread trimmer can be put on any table. Very easy to move and operate.
2. Powerful and quiet suction motor with a waste collector.
3. Special designed clipper blade works well and safely. Do not hurt your hand and the fabric.
4. This type of machine can be used on any thread trimming item, such as underwear, shirt, western trousers, jeans, shoes, hat, embroidery, etc. Especially for clothes with many ends of thread.

型号	Model	WJ-520V
刀头	Cutting head	单刀头 Single pole head
驱动模式	Drive mode	电动(无刷电机) Electric (brushless motor)
电压	Voltage	220V
功率	Power	350W
毛重	Gross weight	36.2kg

WEIJIE®

GRAVITY FEED IRON SERIES 吊瓶熨斗系列

无需蒸汽发生器,可在仅提供电源的条件下轻便地使用
(适合与小型工厂,装饰品及服装工厂)

Without the steam generator, you can easily start ironing wherever you want if only an electric power supply is available, it is suitable for small factories, boutiques and also garment factory.



WJ-300L

电压 Model	220V
重量 Weight	2.6Kg
功率 Power	1200W
底板尺寸 Bottom size	227×138mm




吊瓶熨斗系列
Gravity Feed Iron Series



WJ-3300

电压 Model	220V
重量 Weight	2.6Kg
功率 Power	1300W
底板尺寸 Bottom size	227×138mm




WJ-1300M

电压 Model	220V
重量 Weight	2.6Kg
功率 Power	1100W
底板尺寸 Bottom size	195×65mm



WJ-94B

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1200W
底板尺寸 Bottom size	209×120mm



WJ-530


电压 Model	220/110V
重量 Weight	2.12Kg
功率 Power	1000W
底板尺寸 Bottom size	204×114mm






WJ-533

电压 Model	220/110V
重量 Weight	2.12Kg
功率 Power	1100W
底板尺寸 Bottom size	227×138mm




WJ-550

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1200W
底板尺寸 Bottom size	209×120mm



WJ-94A

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1000W
底板尺寸 Bottom size	209×120mm




WJ-96B

电压 Model	220V
重量 Weight	2.3Kg
功率 Power	1200W
底板尺寸 Bottom size	205×113mm




WJ-520

电压 Model	220/110V
重量 Weight	2.12Kg
功率 Power	1000W
底板尺寸 Bottom size	204×114mm




WJ-94AL

电压 Model	220V
重量 Weight	2.6Kg
功率 Power	1200W
底板尺寸 Bottom size	227×138mm




WJ-300

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1000W
底板尺寸 Bottom size	209×120mm



WJ-85AF


电压 Model	220V
重量 Weight	2.4Kg
功率 Power	1000W
底板尺寸 Bottom size	210×120mm






WJ-787

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1000W
底板尺寸 Bottom size	209×118mm




WJ-99B

电压 Model	220V
重量 Weight	2.14Kg
功率 Power	1450W
底板尺寸 Bottom size	205×127mm




WJ-777B

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1200W
底板尺寸 Bottom size	207×117mm



WJ-300B

电压 Model	220V
重量 Weight	2.2Kg
功率 Power	1200W
底板尺寸 Bottom size	205×118mm



WJ-2128

电压 Model	220/110V
重量 Weight	2.26Kg
功率 Power	900/800W
底板尺寸 Bottom size	198×117mm



ELECTRIC STEAM IRON SERIES

电加热熨斗系列

无需蒸汽发生器,可在仅提供电源的条件下轻便地使用
(适合与小型工厂,装饰品及服装工厂)


Without the steam generator, you can easily start ironing wherever you want if only an electric power supply is available. it is suitable for small factories, boutiques and also garment factory.






WJ-0010

电压 Model	220/110V
重量 Weight	2.2Kg
功率 Power	900/800W
底板尺寸 Bottom size	200×116mm




WJ-B-200

电压 Model	220/110V
重量 Weight	2.33Kg
功率 Power	900/800W
底板尺寸 Bottom size	224×121mm



WJ-B8T

电压 Model	220V
重量 Weight	2.5Kg
功率 Power	1000W
底板尺寸 Bottom size	214×144mm




WJ-2000

电压 Model	220V
重量 Weight	1.9Kg
功率 Power	1000W
底板尺寸 Bottom size	180×106mm




WJ-1000

电压 Model	220/110V
重量 Weight	1.17Kg
功率 Power	900/800W
底板尺寸 Bottom size	186×105mm



WJ-0001


电压 Model	220/110V
重量 Weight	2.6Kg
功率 Power	900/800W
底板尺寸 Bottom size	219×118mm



WJ-360 皮革专用

For leather

电压 Model	220V
重量 Weight	2.1Kg
功率 Power	1200W
底板尺寸 Bottom size	207×117mm



ALL STEAM IRON SERIES 全蒸汽熨斗系列

1. 汽水分离装置, 节能30%-40%以上, 寿命是普通疏水阀的10倍以上。
 2. 蒸汽均匀, 汽量更大, 熨斗底板只出干燥蒸汽, 完美解决熨烫衣服时出现的黄斑、水渍问题。
 3. 熨斗尾部回气管蒸汽全部收回在熨斗内部循环利用, 只排水不跑蒸汽。
 4. 双重焊接工艺, 不易变形, 持久更耐用。
1. Water-steam separation device, saving 30%-40% energy, 10 times longer service life than regular steam trap.
 2. Uniform output, more steam, dry steam only, perfect solution of the yellow spot and water stain problem during ironing.
 3. Steam recover pipe of the iron recycling all the steam, discharge water only.
 4. Double welding process, no deformation, more durable.



WJ-17

节能型全蒸汽熨斗
Energy saving full steam iron





蒸汽调节器控制蒸汽。由蒸汽发生器经蒸汽管道SE-2000的流量
Steam regulator control. By the steam generator through a steam pipeline flow of SE - 2000



WJ-3	
电压 Model	220/110V
重量 Weight	1.1Kg



WJ-5	
电压 Model	220/110V
重量 Weight	1.1Kg

可选配件/ OPTIONAL ACCESSORIES

蒸汽管保护套 Steam hose cover

用途:使蒸汽管不易受折,延长其寿命。

使用方法:只需要在使用时将蒸汽管保护套套在蒸汽管外即可。

Usage: it can prevent from folding, make it longer life;

Application method: put on out side of steam hose when using it.




可选配件/ OPTIONAL ACCESSORIES

熨斗隔热板 Iron rest

用途:耐高温,在熨斗加热过程或使用过程中搁置用。

Usage: heat-resistant, it can shelveduringheating or using.



WJ-825 / 小型电加热蒸汽锅炉熨斗

Small electric heated steam boiler iron



- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use.

型号	Model	WJ-825
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	6-9KW
熨斗功率	Iron Power	850W
水容积	Water volume	4L
烫斗类型	Iron type	电加热

WJ-826 / 小型全蒸汽锅炉熨斗

Small full steam boiler iron



- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use.

型号	Model	WJ-826
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	6-9KW
熨斗功率	Iron Power	
水容积	Water volume	4L
烫斗类型	Iron type	全蒸汽

WJ-5 / 小型电加热蒸汽锅炉熨斗

Small electric heated steam boiler iron



- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use.

型号	Model	WJ-5
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	1.7KW
熨斗功率	Iron Power	900W
水容积	Water volume	6L
烫斗类型	Iron type	电加热

WJ-525 / 小型电加热蒸汽锅炉熨斗

Small electric heated steam boiler iron



- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用;
- 6、自动送水功能。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use;
6. Automatic water supply function.

型号	Model	WJ-525
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	1.35KW
熨斗功率	Iron Power	900W
水容积	Water volume	4.5/7L
烫斗类型	Iron type	电加热



WJ-2002 / 小型电加热蒸汽锅炉熨斗

Small electric heated steam boiler iron

- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用;
- 6、自动送水功能。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use;
6. Automatic water supply function.

型号	Model	WJ-2002
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	1KW
熨斗功率	Iron Power	850W
水容积	Water volume	2L
烫斗类型	Iron type	电加热



WJ-2035 / 小型电加热蒸汽锅炉熨斗

Small electric heated steam boiler iron

- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用;
- 6、自动送水功能。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use;
6. Automatic water supply function.

型号	Model	WJ-2035
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	1.35KW
熨斗功率	Iron Power	850W
水容积	Water volume	3.5L
烫斗类型	Iron type	电加热



WJ-2005 / 小型电加热蒸汽锅炉熨斗

Small electric heated steam boiler iron

- 1、可视水位器,压力表;
- 2、自动恒温控制器,安全阀;
- 3、特殊处理的底板,永不滴水;
- 4、一次加水可连续使用6小时;
- 5、特别适合小型工厂,样板设计师、洗衣店使用;
- 6、自动送水功能。

1. Visible water level device, pressure gauge;
2. Automatic thermostat, safety valve;
3. Special treatment of the bottom plate, never water;
4. It can be used continuously for 6 hours by adding water at a time;
5. Especially suitable for small factories, model designers, laundry use;
6. Automatic water supply function.

型号	Model	WJ-2005
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	2.25KW
熨斗功率	Iron Power	850W
水容积	Water volume	5L
烫斗类型	Iron type	电加热

WJ-9000 / 小型电加热蒸汽锅炉熨斗 Small electric heated steam boiler iron



- | | |
|-------------------------|---|
| 1. 压力开关、自动恒温器 | 1. Press switch, automatic thermostat |
| 2. 温度自动控制 | 2. Temperature is automatically controlled |
| 3. 工作显示灯 | 3. Heat indicator light |
| 4. 电热蒸汽熨斗 | 4. Electric steam irons |
| 5. 特殊处理的底板, 永不滴水 | 5. Specially designed soleplates that prevent water leak |
| 6. 体积小、出蒸汽快 | 6. Compact design with fast steam built-up |
| 7. 适合小型工厂、版房、洗衣店使用 | 7. Suitable for small garment factories, Sample makers, and laundries |
| 8. 一次加水可连续使用3小时 | 8. Usage of up to 3 hours for each water refill |
| 9. 锅炉预热时间: 15分钟 | 9. Boiler heat-up time: 15 minutes |
| 10. 炉体材料: WJ-9000 特制铝合金 | 10. Boiler material: WJ-9000 aluminum |
| WJ-9000-2 不锈钢 | WJ-9000-2 stainless steel |
| 11. 熨斗手柄: 特制的软木手柄 | 11. Iron handle: special cork handle |
| 12. 熨斗底板: 厚铝材 | 12. Iron soleplate material: thick aluminum |

型号	Model	WJ-9000
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	1.3KW
熨斗功率	Iron Power	800W
水容积	Water volume	1.8L / 2.5L
烫斗类型	Iron type	电加热

WJ-35 / 小型电加热蒸汽锅炉熨斗 Small electric heated steam boiler iron



- | | |
|---------------------------|---|
| 1. 可视水位器, 压力表; | 1. Visible water level device, pressure gauge; |
| 2. 自动恒温控制器, 安全阀; | 2. Automatic thermostat, safety valve; |
| 3. 特殊处理的底板, 永不滴水; | 3. Special treatment of the bottom plate, never water; |
| 4. 一次加水可连续使用6小时; | 4. It can be used continuously for 6 hours by adding water at a time; |
| 5. 特别适合小型工厂, 样板设计师、洗衣店使用; | 5. Especially suitable for small factories, model designers, laundry use; |
| 6. 自动送水功能。 | 6. Automatic water supply function. |

型号	Model	WJ-35
电压	Voltage	220V 50Hz
锅炉功率	Boiler Power	1.3KW
熨斗功率	Iron Power	850W
水容积	Water volume	3.5L
烫斗类型	Iron type	电加热



WJ-2007M / 折叠式吸风烫台 Surbo Vacuum And Heated Folding Ironing Table

折叠式吸风烫台, 使用方便, 易折叠; 内含强劲吸风系统, 噪音低于同类产品, 操作者不易疲劳; 适用场合: 干洗店、小型服装加工厂

Folding type suction ironing table, easy to use, easy to fold; Contains strong suction system, the noise is lower than similar products, the operator is not easy to fatigue; Application: dry cleaners, small garment processing plants

型号	Model	WJ-2007M
电压	Voltage	220V 50Hz
烫台功率	Table Top Resistance	600W
电机功率	Motor Power	150W
电机转速	Motor Rpm	2880转/分
折叠尺寸	Folded Dims	25×40×153cm
净重	Net Weight	21KG





WJ-460 / 去污台 Spotting Cleaning Machine

本机配备高级除污喷药水两支,方便选用两种不同枪水(需要配备风泵),吸力特强,配有蒸气机枪(需接驳中央蒸气),使用单相220V/6A电源。

1. 抽风脚踏式控制开关,运转时节省电力,降低噪音;
2. 精美实用的完全不锈钢工作面;
3. 强劲的去污喷枪可清除成衣上面的顽劣污渍;
4. 装溶剂容器两个,可装不同的去污剂,摇动式手臂,易操作。

用于各类成衣(上衣、西裤、裙子)受到点状或块状污渍清除。

Equipped with two pieces advanced decontaminate lotion, convenient to choose (need air pump). Strong suction, with steam gun (connect to central steam), 220V/6A power, single phase.

1. Foot pedal control power switch, save electricity, lower noise.
2. Delicate and practicable stainless steel working face.
3. Strong spotting gun remove besmirch on cloth.
4. Two vessels to fill different eradicator, movable arm, easy to operate.

Remove globular shape and lump besmirch from clothes (jacket, western-style clothes, skirt)



型号	Model	WJ-460
电压	Voltage	220V 50Hz
功率	Power	550W
空气压力	Air pressure	3-5kg/cm ²
蒸汽压力	Steam pressure	3-5kg/cm ²
外形尺寸	Overall dimensions	102×48×165cm
重量	The weight of the	63KG



WJ-20C

WJ-40C



WJ-10S



WJ-20S



WJ-30P

WJ-20C/40C/20S/30P/10S / 分线器 Thread Distributor

1. 本线机装置了新型线卷夹头,可用于绣花机分线
2. 装置了时间控制器,可简单调整线卷量
3. 体积小、重量轻、搬运简单方便
4. 采用了微动装置,绕线设定简单方便
5. 可同时分线绕2卷,速度快、短时间产量多

1. One action type bobbin stopper. Apply to embroidering machine.
2. Easy adjustment of the thread-winding volume of thread is controlled by a timer.
3. Small size and light weight.
4. The intermittent switch allows simple winding start setting.
5. High-speed two bobbins winding assures the prompt convention of a large volume of thread to bobbins.



型号	Model	WJ-20C	WJ-40C	WJ-10S	WJ-20S	WJ-30P
电压	Voltage	220V	220V	220V	220V	220V
功率	Power	135W	135W	135W	120W	120W
毛重	Gross weight	19.8KG	18.4KG	16KG	16.8KG	17KG



WJ-1 / 半自动刷钻机 Semi-automatic brush drill

半自动刷钻机将传统的手工刷钻动作改由机械动作代替，刷钻过程全由机械自动完成。半自动刷钻机是由机械将钻石刷到刷钻模板里后，再由人工粘贴，降低了劳动强度，省去了技能培训。

1. 生产效率高：刷钻速度快，可以大幅降低工人的劳动强度，能高效的完成多色刷钻工作，同时减少工人的数量，提高刷钻的生产效率。
2. 通用性强：所用的烫钻模板、耗材与传统手工刷钻所需通用。
3. 能耗低：本机使用单相220电源，24小时连续工作耗电量不足二度，占地面积小。

The semi-automatic brush drill replaces the traditional manual brush drill action by mechanical action, and the brush drill process is completed automatically by machinery. Semi-automatic brush drill is a mechanical brush diamond into the brush drilling template, and then by manual paste, reducing labor intensity, eliminating the need for skill training.

- 1, high production efficiency: brush drilling speed, can greatly reduce the labor intensity of workers, can efficiently complete the multi-color brush drilling work, while reducing the number of workers, improve the production efficiency of brush drilling.
2. Strong versatility: the hot drilling template, consumables and traditional manual brush drilling need to be universal.
- 3, low energy consumption: the machine uses single-phase 220 power supply, 24 hours of continuous work power consumption is less than 2 degrees, small footprint.



型号	Model	WJ-1
电压	Voltage	220V
功率	Power	300W
刷钻速度	Brush drill speed	5-7张/ Min
刷钻尺寸	Brush drill size	50×80cm
毛重	Gross weight	172KG



产品视频展示
Product video display

WJ-2 / 全自动钉珠机 Automatic Pearls Fix Machine

1. 本机适用4、5、6mm地球珠；同时可钉装半圆、尖钉、水桶、方钉等多种异形珠；可来样定做模具！
 2. 配置镭射红外线定位，钉珠定位精准。
 3. 自动下珠、振动盘自动进钉；速度任意调节；
 4. 最快钉珠速度可达到350颗/分钟，可顶替10人以上的工作效率，
 5. 钉珠自动计数，方便统计产量；
 6. 具有连续钉珠、单点单打2种钉珠方式；连打间隔时间可调节。
 7. 标准螺纹钉均可使用！
- 广泛应用于服装钉扣、鞋类钉珠、绣花图案、皮革、手袋、发饰、帽及其它工艺品上。

1. This machine is suitable for 4, 5, 6mm earth beads; Can be custom-made mold sample!
 2. Equipped with laser infrared positioning, nail bead positioning precision.
 3. Automatic bead dropping, vibration plate automatic nail entering; Arbitrary adjustment of speed;
 4. The fastest beading speed can reach 350 beads/min;
 5. Automatic bead counting;
 6. With continuous beading, single point single play two kinds of beading.
 7. Standard screws can be used!
- It is widely used in garment stitching, footwear stitching beads, embroidery patterns, hats and other crafts.



型号	Model	WJ-2
电压	Voltage	220V 50Hz
功率	Power	50W
工作气压	Work pressure	0.5-0.6Mpa
钉珠速度	Nail bead speed	250-380颗/分钟
钉珠方式	Nail bead way	单打/连打
重量	The weight of the	90kg
外形尺寸	Overall dimensions	75×62×120cm



WJ-60-2D / 自动烫画机 Automatic Heat Transfer Machine

本机适用于服装烫画印的低温压衬与面料的粘合，可将升华类溶剂类油墨的彩色图案与文字处理热转印烫在棉、麻、化纤等织物上，还可进行植毛烫画和发泡印花工艺等热处理，经济又实用。
本机广泛应用于牛仔服、童装、鞋、箱包、雨伞、衬衫、内衣、泳装、手套、商标等产品，色彩艳丽、手感好、耐水洗。

The machine is applied to bind materials with low temperature low lining of pyrograph and printing in costumes, It will can heat transfe and pyrograph the color pattern and writing of printing ink of sublimated and solvent print in cotton, hemp, chemical fiber etc. And it also can used to hot deal with flocking prograph and bled prograph printing Craft, econo my and practical.
The machine is widely applied for cowboy suit, children's wear, shoes , luggage , umbrella, handbag, schoolbag , t-shirt, underwear, swim-suit, gloves, logo etc...the color bright , smooth and strong.



型号	Model	WJ-60-2D
电压	Voltage	220V 50Hz
功率	Power	3.2KW
工作尺寸	Working Dimension	60×40cm
工作温度	Working Temperature	室温-250°C
毛重(含脚架)	Gross weight (including support)	174KG



WJ-60-2V / 手动烫画机
Manual Heat Transfer Machine



型号	Model	WJ-60-2V
电压	Voltage	220V 50Hz
功率	Power	3.2KW
工作尺寸	Working Dimension	60×40cm
工作温度	Working Temperature	室温-250°C
毛重(含脚架)	Gross weight (including support)	180KG



WJ-15-2/20-2 / 手动烫画机
Manual Heat Transfer Machine

WJ-15-2/20-2D / 自动烫画机
Automatic Heat Transfer Machine



型号	Model	WJ-15-2	WJ-15-2D	WJ-20-2	WJ-20-2D
电压	Voltage	220V 50Hz	220V 50Hz	220V 50Hz	220V 50Hz
功率	Power	1.5KW	1.5KW	1.5KW	1.5KW
工作尺寸	Working Dimension	15×15cm	15×15cm	20×20cm	20×20cm
工作温度	Working Temperature	室温-250°C	室温-250°C	室温-250°C	室温-250°C
毛重(含脚架)	Gross weight (including support)	54KG	54KG	54KG	54KG



WJ-80-2 / 手动烫画机 Manual Heat Transfer Machine

本机适用于服装烫画印的低温压衬与面料的粘合，可将升华类溶剂类油墨的彩色图案与文字处理热转印烫在棉、麻、化纤等织物上，还可进行植毛烫画和发泡印花工艺等热处理，经济又实用。
本机广泛应用于牛仔服、童装、鞋、箱包、雨伞、衬衫、内衣、泳装、手套、商标等产品，色彩艳丽、手感好、耐水洗。

The machine is applied to bind materials with low temperature low lining of pyrograph and printing in costumes, It will can heat transfe and pyrograph the color pattern and writing of printing ink of sublimated and solvent print in cotton, hemp, chemical fiber etc. And it also can used to hot deal with flocking prograph and bled prograph printing Craft, econo my and practical.

The machine is widely applied for cowboy suit, children's wear, shoes , luggage , umbrella, handbag, schoolbag , t-shirt, underwear, swim-suit, gloves, logo etc...the color bright , smooth and strong.



型号	Model	WJ-80-2
电压	Voltage	220V 50Hz
功率	Power	6KW
工作尺寸	Working Dimension	60×80cm
工作温度	Working Temperature	室温-250°C
毛重(含脚架)	Gross weight (including support)	285KG



WJ-45T / 气动烫画机 Pneumatic Heat Transfer Machine

本机适用于服装烫画印的低温压衬与面料的粘合，可将升华类溶剂类油墨的彩色图案与文字处理热转印烫在棉、麻、化纤等织物上，还可进行植毛烫画和发泡印花工艺等热处理，经济又实用。
本机广泛应用于牛仔服、童装、鞋、箱包、雨伞、衬衫、内衣、泳装、手套、商标等产品，色彩艳丽、手感好、耐水洗。

The machine is applied to bind materials with low temperature low lining of pyrograph and printing in costumes, It will can heat transfe and pyrograph the color pattern and writing of printing ink of sublimated and solvent print in cotton, hemp, chemical fiber etc. And it also can used to hot deal with flocking prograph and bled prograph printing Craft, econo my and practical.

The machine is widely applied for cowboy suit, children's wear, shoes , luggage , umbrella, handbag, schoolbag , t-shirt, underwear, swim-suit, gloves, logo etc...the color bright , smooth and strong.



型号	Model	WJ-45T
电压	Voltage	220V 50Hz
功率	Power	3.2KW
工作尺寸	Working Dimension	40×60cm
工作温度	Working Temperature	室温-250°C
包装尺寸	Package Size	84.7×68×106cm
毛重(含脚架)	Gross weight (including support)	215KG



WJ-38A / 62A / 手动烫画机 Manual Heat Press Machine

手动烫画机可将各种烫画、烫钻经热转印烫在棉、麻、化纤等织物上，还可进行丝网印刷，胶浆，发泡等工艺热处理，还可将彩色色标，人像照片，风景图案等烤制在瓷板，金属板上，特别适合制作奖牌，纪念证牌，文化衫等，经济又实用。

Manual heat press machine may hot transfer all kinds of pyrography and hot drills onto cotton, linen, and chemical fiber materials; it is applicable for the heat treatment of screen printing, mucilage, foaming, and other processes; it is also able to copy color codes, portraits, and landscape pictures onto vitrolites and metal boards; it is particularly suitable for making medals, badges, and fashion T-shirts to ensure economy and practicability.

- 1: 电子数显控制温度，准确性高，并且有微调按键；
- 2: 采用铝合金压铸导热原理，发热丝与加热板一体，温度均匀，温差系数小，节能；
- 3: 自动恒温，压力随意调校，性能可靠；
- 4: 电子时间控制，工序完成讯号指示；
- 5: 根据人体工学设计，操作轻松，压力均匀。

1. Electronic digital display for temperature control with an accuracy of (± 2 C); providence of fine-tuning knob;
2. Fever aluminum casting thermal conductivity principle, the radiation pipe and the hot plate is whole, temperature uniformity, temperature coefficient is small and power saving.
3. Automatic constant temperature system to ensure flexible pressure adjustment and reliable performance;
4. Electronic time control and process completion indication;
5. Designed in accordance with ergonomics to ensure simple operation and uniform pressure.

型号	Model	WJ-38A	WJ-62A
电压	Voltage	220V 50Hz	220V 50Hz
功率	Power	2200W	3200W
工作尺寸	Working Dimension	38x38cm	40x60cm
工作温度	Working Temperature	室温-250°C	室温-250°C
包装尺寸	Package Size	68×62×37cm	68×62×37cm
净重	Weight	33KG	33KG



WJ-20/25/38/62/82

/ 手动烫画机 Manual Heat Press Machine

型号	电压	功率	工作尺寸	工作温度	延时
Model	Voltage	Power	Working Dimension	Working Temperature	Time Delay
WJ-20	220V	1.5kw	20×20cm	室温-250°C	1-300s
WJ-25	220V	1.5kw	25×25cm	室温-250°C	1-300s
WJ-38	220V	2.2kw	40×40cm	室温-250°C	1-300s
WJ-62	220V	3.2kw	60×40cm	室温-250°C	1-300s
WJ-82	220V	3.2kw	80×40cm	室温-250°C	1-300s

ALUMINUM IRON SHOE SERIES

铁氟龙熨斗靴系列


- 1、优质铝材更耐热，使用温度高达260°C；
- 2、采用铁氟龙材料制作，特别耐用；
- 3、最适合人造纤维制品使用；
- 4、采用多型铝框及无铝框设计，适合多种烫斗使用；
- 5、烫斗底部气孔特多，使蒸汽能穿过气孔平均地散布在衣物上。

1. High quality aluminum is more heat resistant, the use of temperature up to 260.
2. Made of PTFE material, especially durable.
3. The most appropriate use of fibre goods.
4. Using multi-model aluminum frame and non-frame design, suitable for many kinds of irons.
5. The bottom of iron has multiple holes, steam will flow through and spread on clothes equably.

有多种耐高温隔热布条供选择：


硅胶条、白色耐高温布条、普通布条。
使用寿命长、轻巧灵便、熨烫后的衣物不发亮，
依旧保持其完美。

With Silicon Felt, white Heat-resistant Felt And Ordinary Felt For Chosen.
Smart, strong And Lasting, ironing Without Brilliancy, burning Or Shrinking.




可定制任何型号规格

Can be customized to any model specifications




SP-420/BSP-300/HS-410P/TF-400P

01 206×103mm




IRON MASTER/ST-SOM/STB-250/DUE-EFFE

02 208×121mm



SH-350/HASHIMA-350

03 206×109mm



CISSELL-68/TULIPANO

04 205×113mm




MAXI LEMM

05 235×120mm




ES-85-AF/ES-300/ES-94A/
ES-94/ES-200/ESB-75

06 212×122mm



CISSELL-ACT-800

07 193×106mm



SE-2000

08 185×110mm



HS-300P

09 198×63mm




BSP-200

10 192×61mm



BS-2PC

11 194×64mm



BS-3PC


12 194×112mm



WJ-2
13 195×47mm



WJ-1
14 195×67mm



TF-1000/CISSELL-1000
15 195×107mm




SH-555
25 216×118mm




B-6-T
26 204×101mm



ALS-600/BS-6W/SP-620/BT-620/ASL-620
27 204×145mm



REIMER-400
16 205×113mm




CISSELL-67
17 195×118mm



HS-5
18 195×95mm




ADL-610
28 205×144mm



SH-550/HASHIMA-550/ST-60M
29 206×115mm




TCM-608
30 218×108mm



HS-1
19 199×113mm




SE-850
20 200×115mm



LEMM
21 200×118mm




HYS-6
31 207×108mm




520/ES-3100
32 207×120mm



ASL-610
33 207×146mm




HS-6
22 201×145mm



COMEL SMALL
23 202×119mm




WJ-6
24 202×144mm




BS-6PC/BS-6SC/BSS-600
34 207×150mm




VEIT-2128
35 207.5×121mm




TV-3/TREVIL
36 208×117mm



SH-111
37 208×120mm



ASL-50.S
38 212×127mm




ASL-60S/TAIWAN 1
39 209×152mm




巴西7480
49 243×123mm




TIS-A/SHELDON-555
50 220×121mm



VEIT-H.D.2000
51 221×107mm




HYS-5/IS-7151
40 211×109mm




STB-275
41 208×110mm




SB-320
42 213×70mm



P23
52 225×118mm




SEM1-2
53 227×125mm




STB-200
54 228×123mm



SE-110
43 213×117mm



SE-90/SE-900
44 214×115mm



SA-120/SA-120A/COVENMAT(F2)
45 214×121mm



ES-94AL/ES-100-AF/ES-300L
55 228×144mm




TS-BDI
56 229×125mm



HS-600A
57 198×137mm



CV-90TREVIL
46 215×120mm




ASL-630
47 215×153mm




COVENMAT(F1)
48 218×122mm




ISRAEL
58 237×113mm




WJ-D
59 240×182.5mm




M-5
60 243×122mm




ST-96
61 201×113mm




TULIPANO
62 199×118mm



ASL-610钢网
63 204×145mm




B-8TN钢网
64 210×145mm



ES-85-AF钢网
65 212×122mm




STB-295
66 189×52mm




WJ-9000
67 196×121mm



CL-2668
68 196×121mm




B8-2
69 207×137mm




WJ-890
70 200×148mm



B-8TN
71 212×142mm



SE-800/NEW-B63
72 196×121mm




WJ-17
49 202×139mm



WJ-82
50 213×110mm



WJ-83
51 214×112mm



WJ-99B
52 193×131mm




WJ-125
53 213×145mm




HK-2128
54 223×125mm



73



74



75



76



77



78



79



80



81



特氟龙原子喉 Teflon Steam Hose

1. 可选择以英尺为单位的非常尺寸(6、7、8英尺)。
2. 每种产品订购2000条以上者,可要求特殊颜色与长度。
3. 铁氟龙原子喉采用新四氟材料P.F.A,抗挠性好,耐热性能高,使用寿命长。即使反复弯曲,也能很好的复原。结实、经久、耐用。
4. 成份:三层棉纱,二层不锈钢丝,一层工业丝编织。
5. 工业丝特点:耐高温,可在150°C至250°C之间使用,色彩鲜艳。
6. 标准长度:2.0m、2.5m、3.0m、3.5m、4.0m。
7. 颜色:1.黄色 2.绿色 3.天兰 4.深蓝 5.白色。
8. 特殊要求规格:可定做。
9. 包装规格:60根/箱(2.0m,2.5m,3.0m)50根/箱(3.5m,4.0m)

1. Teflon steam hose: special size available(6/7/8feet).
2. If the order is more than 2000 pieces each, customer is allowed to special colour and length.
3. Teflon steam hose uses new material P.E.A, with good flexibility, high heat-resistant, and long life. It can recover even after many many times of bending. It's strong, long-life, and durable.
4. Composition 3-layer cotton yarn, 2-layer stainless steel wire, 1-layer industrial wire.
5. Feature of industrial wirer: high heat-resistant, can be used between 150°C, colorful.
6. Standard length: 2.0m 2.5m 3.0m 3.5m 4.0m.
7. Color: 1. yellow 2. green 3. sky blue 4. dark blue 5. white Special.
8. requested spec: made-to-order.
9. Packing spec: 60/box(2.0m 2.5m 3.0m) 50/box(3.5m 4.0m).



化水器 Steam Trap

化水器能消除全蒸汽熨斗在使用中滴水的现象,排除水份,不浪费蒸汽,节约能源,效果明显。使用简单,安装方便。

The steam trap can solve the dripping water problem of All-steam Iron, it can remove water without wasting steam, it can save energy, and it's obvious in effect. It is easy to use and convenient to install.

熨斗隔热板 Iron Rest



熨斗零配件 Iron Spare Parts



熨斗零配件 Iron Spare Parts



锅炉零配件 Boiler Spare Parts



其他零配件 Other spare parts

